

FUTINA®

A-76 ultra-slim series

Slim in shape, dynamic in mind



4.2mm ultra-thin



metal frame



16A high currents



safe shutter



Magnolia
White



Light luxury
grey



Phantom
Black



PU Light
luxury grey



PU Phantom
Black

4.2mm slim panel

As light and soft as a dragonfly's thin wings, it fits the wall better.

4.2mm



4° small angle opening and closing

Smaller opening and closing angles, shorter button travel.

A smooth and extreme experience between controls.



Skin feeling surface

3 techniques, 5 colors for option.



Durable life

Durable life tested

100,000 times for switches and

20,000 times for sockets



Highly flame-retardant material

High quality material selection, hardcore quality, passed 850° C glow wire test



High strength steel back plate

Durable against pressure, not easily deformed.
12kg torque switch does not fail



16A high current switch

Maximum load up to 3500W.
Prevents damage to electrical appliances
from high currents,
greater safety and reliability

16A



Large pull-out terminals

4 x 4mm² conductors,
full wrap-around contact



Integrated tin-phosphor bronze bushing

Good elasticity, smooth plugging and unplugging, no loosening, preventing electrical sparks.



Large 47.5mm pitch

47.5mm slanted 5-hole pitch.
For larger simultaneous use
of two or three plugs.



Safety shutter

New national standard socket,
jack against single pole insertion.



20WA+C interface

Fast charging stability and efficiency





Magnolia White



luxury grey





PU luxury grey



Phantom Black





PU Phantom Black

